



# Universal Endoscopic **Linear Cutting Stapler and Single Use Loading Unit**

# QELC<sup>®</sup>



**Miconvey**  
Convey Microsurgical Innovation

CE FDA ISO FSC

## Universal Endoscopic Linear Cutting Stapler and Single Use Loading Unit

### QELC<sup>®</sup>

#### 4<sup>th</sup> generation cartridge with Triple "CC" Technology

- **Cayman Claw Technology:**  
Reduce the lateral and longitudinal oscillations when the staples are lifted, and reinforce slipping resistance during the firing process.
- **Cayman Clip Technology:**  
Lock the tissue like a Cayman, reinforce clamping force and effectively reduce tissue slippage during firing.
- **Cayman Curve Technology:**  
Flexibly shuttle through tissue gap and easy operate on blunt separation.

#### Disposable knife blade

- Ensure maximum sharpness and avoid risk of cross-infection and cancer metastasis.



#### GST<sup>™</sup> Guiding Stapling Technology

- New spindle formation design enables perfect anastomosis effect.



#### ISH<sup>™</sup> Intelligent Staple Height

- Provides outstanding performance in suturing and hemostasis

#### Unique pre-clamping design

- Optimized tissue compression
- Minimized tissue injury.



# Product Specification

MODELS	LENGTH
QELC S	60 mm
QELC	160 mm
QELC L	260mm

GENERATION	MODELS	COLOR
1 <sup>st</sup>	QELC 4525L	○ White
1 <sup>st</sup>	QELC 4535L	● Blue
1 <sup>st</sup>	QELC 4540L	● Gold
1 <sup>st</sup>	QELC 4548L	● Green
1 <sup>st</sup>	QELC 6025L	○ White
1 <sup>st</sup>	QELC 6035L	● Blue
1 <sup>st</sup>	QELC 6040L	● Gold
1 <sup>st</sup>	QELC 6048L	● Green

GENERATION	MODELS	COLOR
2 <sup>nd</sup>	QELC 4525R	○ White
2 <sup>nd</sup>	QELC 4535R	● Blue
2 <sup>nd</sup>	QELC 4548R	● Green
2 <sup>nd</sup>	QELC 6025R	○ White
2 <sup>nd</sup>	QELC 6035R	● Blue
2 <sup>nd</sup>	QELC 6040R	● Gold
2 <sup>nd</sup>	QELC 6048R	● Green

GENERATION	MODELS	STAPLE HEIGHT	ISH	CAYMAN CURVE	CAYMAN CLIP	CAYMAN CLAW	COLOR
4 <sup>th</sup>	QELC3025A	2.5mm		X		X	○ White
4 <sup>th</sup>	QELC4525A	2.5mm		X		X	○ White
4 <sup>th</sup>	QELC4525B	2.0, 2.5, 3.0mm	X		X	X	● Tan
4 <sup>th</sup>	QELC4535B	3.0, 3.5, 4.0mm	X		X	X	● Purple
4 <sup>th</sup>	QELC4545B	4.0, 4.5, 5.0 mm	X		X	X	● Black
4 <sup>th</sup>	QELC6025B	2.0, 2.5, 4.0mm	X		X	X	● Tan
4 <sup>th</sup>	QELC6035B	3.0, 3.5, 4.0mm	X		X	X	● Purple
4 <sup>th</sup>	QELC6045B	4.0, 4.5, 5.0 mm	X		X	X	● Black
4 <sup>th</sup>	QELC4535C	3.0, 3.5, 4.0mm	X	X		X	● Purple
4 <sup>th</sup>	QELC6035C	3.0, 3.5, 4.0mm	X	X		X	● Purple
4 <sup>th</sup>	QELC6045C	4.0, 4.5, 5.0 mm	X	X		X	● Black



## MICONVEY TECHNOLOGIES CO.,LTD

Manufacture Addr: No 16 FangZheng Avenue,ShuiTu Industrial Park,BeiBei Dst.,Chongqing,  
Shanghai Office: Room 2506 Central Park Jing An,No.329 HengFeng Road, Jing'an District,  
Shanghai,200070,China

Tel: +86-21 62511116 E-mail: info@miconvey.com Website: www.miconvey.com

